IPROXX 2

The new generation of the IPROXX handset. The IPROXX 2 combines the sturdiness and versatility of the IPROXX handset with a slim, elegant design.

- Colour: light grey RAL 7035
- Keys: max. 11
- Suitable for max. 4 drives incl. reset function, standardised keyboard, smooth, easy-to-clean surface
- Equipment options: integrated mechanical or programmable multi-stage locking function, FURNIBUS interface

Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: http://www.dewert.de

DEWERT
A Phoenix Mecano Brand

Standard configurations

Performance data	
Control unit	relay control
Components	
Indicators	combined power-on / charge level indicator
Housing colour	light grey RAL 7035
Further data	
Protection type	max. IPX6
Relative humidity	30% – 75%
Ambient temperature	+10°C - +40°C
Keys	max. 11, standardised keyboard
Function LED	yes
Safety	single-fault protected
Handset hook	available with or without
	suitable for max. 4 drives incl. reset function, smooth, easy-to-clean surface

Extra configurations

Further data	
Customer-specific printing	customised membrane design on request
Equipment options	integrated mechanical or programmable multi-stage locking function

Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: http://www.dewert.de

Product details

Mechanical locking function

Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: http://www.dewert.de





Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: http://www.dewert.de